# QUALITY - DURABILITY - FUNCTIONALITY

Transport Trailers Trailers for registration Combi Trailers Fodder Trailers For cattle, pigs, horses, sheep etc.









#### **DANISH DESIGN – DANISH QUALITY**

All our trailers are **100% DANISH MANUFACTURED** at our factory in Brande, thus we ensure that all our products meet our high quality standards.

#### **STRONG CONSTRUCTION – A PRODUCT FOR LIFE**

All our trailers are fully galvanised and made of extra strong profiles. **All trailer structures** are thought out down to the last detail in order to ensure the strongest structure and longest service life, which is why you purchase a trailer for life with minimal maintenance costs.

#### FROM IDEA TO REALITY – FROM WISH TO REALISATION

Thanks to our more than 30 years of experience in manufacturing products for the agricultural industry, and an adaptable production department, we are capable of delivering the right solution for you. Together we can make your wish come true.

#### **CONTACT US**

You are always welcome to contact our competent sales team that is always ready to give you advice and guidance about our products.

### JYFA Maskinværksted Sjællandsvej 8A DK-7330 Brande Tel.: +45 9718 3565 www.jyfa.com - mail@jyfa.com

#### Opening hours:

Monday - Thursday: from 7.30 a.m. to 4 p.m. Friday: 7.30 a.m. - 2 p.m.







ABOUT JYFA	3
4M METER FODDER TRAILER	5
JYFA TRAILER	6
TRANSPORT TRAILER	7
WIDE TRANSPORT TRAILER	11
DE TRANSPORT TRAILER	19
SMALL TRANSPORT TRAILER	23
COMBI TRAILER	25
COMBI TRAILER WITH HYDRAULICS	27
NEW HYDRAULIC TRAILER	29
HYDRAULIC TRAILER	32
INSPIRATION	33

### **ABOUT JYFA**

JYFA Maskinværksted is a family-owned company which was founded by Preben and Birgit Vestergaard Tvermose back in 1980. Today, the company has more than 20 employees and is managed by Preben in close collaboration with his daughters, Iben and Hanne Tvermose.

The trailers are continuously developed and new models are simultaneously introduced. JYFA is famous for delivering galvanised products of high exclusively quality, manufactured in Denmark, which has gained the company wide recognition and has manifested itself in the large export JYFA has today. With dealer in, among other things. countries like Norway, Sweden,

the Netherlands, Finland. Germany. Iceland and Latvia. JYFA is well represented beyond Denmark's borders.

JYFA specialises in the production of transport and combi trailers with and without hydraulics for, among other things, cattle, pigs and sheep. JYFA has designed feeding stations for the agricultural industry as well as stable equipment for cattle and horses. In addition, JYFA also works with solutions for special products such as balconies, railings, walkways, trailers for animal parks and much more. JYFA has produced and patented a special safety cap for bull rings.

and



In 2012, the company expanded and moved into new premises on Sjællandsvej.



You are always welcome to see our outdoor exhibition in Brande.

#### **OUR VALUES ARE:**

Accountability	- We vouch for the quality of our products and we refuse to compromise.
	<ul> <li>We have spare parts for our products</li> <li>even for products that were withdrawn from the production programme many years ago.</li> </ul>
Quality	<ul> <li>Our products are developed based on daily use and decades of experience.</li> </ul>
	<ul> <li>We know that farmers often work hard and we have manufactured our products accordingly.</li> </ul>
	<ul> <li>We manufacture our products so you can benefit from them for many years to come.</li> </ul>
Ease of use	<ul> <li>Our products are designed with a focus on user-friendliness and safety, as well as animal welfare.</li> </ul>



**CEO Preben Tvermose** 



All products are manufactured in our own facilities in Brande

### WHAT OUR CUSTOMERS SAY

"When I retired and had to sell my JYFA trailer, it was in just as good condition as when I bought it 15 years earlier."

#### Hans Rasmussen, Denmark

"I chose a JYFA animal trailer because I knew that I will always have an operational trailer thanks to its sturdy quality." Verner Madsen, Denmark

"I bought a painted trailer, but after only a few years it got rusty and couldn't be used anymore. That is why I chose a JYFA trailer. It is still running perfectly." Søren Andersen, Denmark "My employees are more productive thanks to our JYFA cattle trailer. It runs every time." Jesper Holm, Denmark

"When my son took over the farm, he also took over my JYFA cattle trailer. After 12 years it is still running perfectly." *Niels Jørgen Østergård, Denmark* 

"I chose a JYFA trailer because I regarded it as an important investment in my business." *Kristian Thomsen, Denmark*  "I chose JYFA because I knew I would be getting quality for the money." *Lasse Jensen, Denmark* 

"I sold my JYFA trailer when it was 10 years old. It was in the same condition as when I bought it. This is value for the money."

Jens Jørgen Daugaard, Denmark



We take pride in making products in the best quality on the market.



Distributors throughout Europe and Scandinavia's best selling cattle trailer



Our expert sales team is always ready to give advice and guidance



WWW.jyfa.com

ALL WEIGHT

### **4M FODDER TRAILER**

ARTICLE NO. 15000 4M FODDER TRAILER Note! This trailer CANNOT be used for transport of animals

### MOBILE FEEDING TABLE WITH UP TO 20 FEEDING PLACES

#### **PRODUCT DESCRIPTION**

This product is created for you, who do not need a trailer for transport of animals, but want a mobile feeding table which can quickly and easily be moved from field to field.

### Designed according to the animals' nature

It is in the nature of cattle to chafe and rub on everything they can get hold of.

#### **QUICK OVERVIEW**

### Galvanized strong 4 m fodder trailer – the mobile feeding table for the field

- Trailer inner width 2
   metres
- Up to 20 feeding places.
- Comes with church char's by default and can be equipped with trap gates
- Order the solution that suits you best
- A safe and sound investment in the future
- Made of extra strong profiles
- A GOOD DANISH PRODUCT

This model is made of extra strong profiles, which means that the animals cannot harm themselves or damage the feeding table. At the same time, the strong structure ensures that the feeding table will be stable and secure on the ground.

### A safe and sound investment in the future

The fodder trailer is fully galvanised, which guarantees you a product with long service life and minimum maintenance costs.

### **TECHNICAL DATA**

- Length: 4 m
- Trailer inner width: 2 m

#### **Standard equipment**

By default, the feeding table comes with "church char's" mounted on all sides and a galvanised plate as bottom.

Article No.	15000		
Length	4 meter		
Wheel size	11,5/80x15,3/12		
Supplements	<ul> <li>Trap gate, adjustable (2x3 animals per long side)</li> <li>Large gate at rear end</li> <li>Roof</li> <li>Galvanized chequer plate flooring</li> <li>Floor treatment for silage</li> <li>Silage basket</li> <li>Ramp</li> </ul>		

#### Up to 20 feeding places – possibility of trap gate

By default, the model is supplied with 4 "church char's" at each end and 6 on each long side. This gives you a large feeding table with as many as 20 feeding places. If it is necessary for you to be able to capture the animals, the model can be equipped with 2 x 3 animal trap gates on one or both long sides, depending on your needs.

### Create the solution that covers your needs



ARTICLE NO. 20000 JYFA TRAILER

#### THE TRAILER CAN BE **OTHER** USED, AMONG THINGS, FOR CARS. DELIVERY VANS AND **4WD VEHICLES**

#### **PRODUCT DESCRIPTION**

The trailer is designed with the aim to manufacture a solid and strong trailer that can be advantageously used for transport of animals behind, among other things, a 4WD vehicle or delivery van. Its sturdy structure and galvanisation ensure the long service life of the trailer with minimum maintenance costs.

The sides are covered with 12 mm water-resistant Bodex wood panels, and are supplied with blue roll up blinds which can be opened or closed completely, for example, for use during transport. The loading height is only 40 cm and the ramp is 2-piece for easy handling. The bottom is covered

with tear plates to make the bottom anti-slip.

The trailer is type-approved by the Danish Road Safety and Transport Agency according to the new animal welfare laws for, among other things, passenger cars, 4WD vehicles or delivery van. That is why the JYFA Trailer is ideal for farmers who occasionally transport some animals for slaughter or animal fairs, and who want to save the major costs to hauliers.





Registered, galvanised trailer for animal transport, etc.

- Fully galvanised
- Can be used for, among other things, 4 wheel drives and delivery vans
- **TYPE APPROVED**
- SPECIAL APPROVAL FOR ANIMAL TRANSPORT
- Suitable for transport of, among other things, horses, cattle, pigs and sheep
- Length 4.5 metres A GOOD DANISH
- PRODUCT



### TRANSPORT TRAILER

ARTICLE NO. 25000 5M TRANSPORT TRAILER

### THE STRONG AND STURDY TRAILER FOR ANIMAL TRANSPORT

#### **QUICK OVERVIEW**

## Galvanised sturdy and solid trailer for animal transport

- Can be used advantageously for cattle, sheep or pigs
- Trailer inner width 2
   metres
- Made of extra strong profiles
- A safe and sound investment in the future
- Equipped with a sledge under the floor – no risk of tipping over with the animals inside
- Can be equipped with an emergency exit for your safety
- Order the solution that suits you best
- Can be delivered with a length from 3 to 6 metres
- One of Scandinavia's most popular trailer for live stock
- A GOOD DANISH PRODUCT

#### PRODUCT DESCRIPTION

If you need to run short distances between, e.g. the field and the stable, and do not need a trailer with hydraulics, this animal transport trailer is the ideal solution for you.

### Strong and sturdy trailer for animal transport

The trailer is fully galvanised and made of extra strong profiles. The sides are covered with 12 mm waterresistant Bodex plates all around, the trailer is equipped with a ramp, as well as double doors in the rear end. The bottom is made up of tear plates to make the bottom anti-slip.

#### A safe and sound investment in the future

The strong and sturdy structure of the cattle trailer makes it one of the strongest trailer on the market. A wellmaintained product can easily last 20 years or more with minimal maintenance costs.

### No risk of tipping over with the trailer

When driving on the field, there is a risk of running into holes or the like where the trailer can get stuck in the worst-case scenario, overturn with animals in. This is why this trailer is equipped with a sledge under the bottom. Because of it, the trailer cannot be suspended on the axles. This way, it can be pulled quickly and effectively without injuring the animals inside or damaging the trailer.

#### **Emergency exit option**

Transport trailers with a length from 4 to 6 metres can be ordered with an *extra gate on the right long side*, also known as an emergency exit. Such an emergency exit offers safety for you and your employees should problems arise and you need to get out of the trailer quickly.







### TECHNICAL DATA:

• Trailer inner width: 2 m

### Create the solution that suits you best



▲ The model comes with wheels on the outside



Article No.	23000	24500 (for cattle transport)	25000	26000
Length	3 meter	4 meter	5 meter	6 meter
Wheel size	10,0/80x12/10	11,5/80x15,3/12	13,0/65x18/16	13,0/65x18/16
Supplements	• Roof • Rear Lights	<ul> <li>Roof</li> <li>Rear lights</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>	<ul> <li>Roof</li> <li>Rear lights</li> <li>Brakes</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>	<ul> <li>Roof</li> <li>Rear lights</li> <li>Brakes</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>



▼ The trailer is equipped with galvanised plates on the inside in the trailer for fast and easy cleaning









### THE PERFECT SOLU-TION IF YOU NEED A REGISTERED CATTLE TRAILER

#### **QUICK OVERVIEW**

### Galvanised strong trailer for animal transport that can be registered

- Strong, fully galvanised
- Can be used advantageously for i.a. cattle, sheep or pigs.
- Width 2.52 metres
- Built-in wheel cases
- Can be equipped with hydraulic lifting function
- CAN BE REGISTERED
- Equipped with a sledge under the floor – no risk of tipping over with the animals inside.
- Made of extra strong profiles
- Can be delivered with a length from 5 to 8 metres
- One of Scandinavia's most popular trailer for live stock
- A GOOD DANISH PRODUCT

#### **PRODUCT DESCRIPTION**

The wide transport trailer can be registered which makes it ideal for farmers who occasionally drive animals for slaughter or to animal fairs, and who wish to save major expenses for haulers.

### Strong and sturdy trailer for animal transport

The trailer is fully galvanised and made of extra strong profiles. The sides are covered with 12 mm waterresistant Bodex plates all around, the trailer is equipped with a ramp, as well as double doors in the rear end. The bottom is made up of tear plates to make the bottom anti-slip.

### A safe and sound investment in the future

The strong and sturdy structure of the cattle trailer makes it one of the strongest trailer on the market. A wellmaintained product can easily last 20 years or more with minimal maintenance costs.

### No risk of tipping over with the trailer

When driving on the field, there is a risk of running into holes or the like where the trailer can get stuck in the worstcase scenario, overturn with animals in. This is why this trailer is equipped with a sledge under the bottom. Because of it, the trailer cannot be suspended on the axles. This way, it can be pulled quickly and effectively without injuring the animals inside or damaging the trailer.

### **Emergency exit option**

All models can be supplied with one *extra gate on the right long side*, also called an emergency exit. Such an emergency exit offers safety for you and your employees should problems arise and you need to get out of the trailer quickly.

### Hydraulic height adjustment function

The hydraulic height adjustment function offers many advantages in daily use. During loading or unloading, the floor of the trailer is lowered and the animals can enter directly. After loading, the trailer is raised again. In addition to the incredibly efficient and stress-free loading and unloading of the animals, this hydraulic height adjustment function is also ideal for allowing the trailer stand on the ground with forage inside so that animals and calves can feel safe near it before being moved.

### **TECHNICAL DATA**

- Width: 2.52 m
- Trailer inner width: 2.40 m
- Trailer inner width from wheel case to wheel case 1.64 m
- If the trailer is equipped with hydraulics, the loading height is 11 cm

### Create the solution that suits you best



Article No.	30500	30600	30700	30800
Length	5 meter	6 meter	7 meter	8 meter
Wheel size	400/60x15,5/14	400/60x15,5/14	385/55 R19,5	385/55 R19,5
Supplements	<ul> <li>Roof</li> <li>Rear Lights</li> <li>Brakes</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>With hydraulic, excl. ramp</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>	<ul> <li>Roof</li> <li>Rear Lights</li> <li>Brakes</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>With hydraulic, excl. ramp</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>	<ul> <li>Roof</li> <li>Rear Lights</li> <li>Brakes</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>With hydraulic, excl. ramp</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>	<ul> <li>Roof</li> <li>Rear Lights</li> <li>Brakes</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>With hydraulic, excl. ramp</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>

















6

6



ARTICLE NO. 30600 6M WIDE TRANSPORT TRAILER













 $\checkmark$  If the trailer is equipped with hydraulics, the loading height is 11 cm



ARTICLE NO. 30800 8M WIDE TRANSPORT TRAILER



"The trailer can be supplied with an emergency exit for the safety of you and your employees."

0

0

0

T

ARTICLE NO. 30800 8M WIDE TRANSPORT TRAILER

### **DE TRANSPORT TRAILER**

### TÜV-APPROVED



DEVELOPED IN COLLABORATION WITH TÜV ACCOR-DING TO THE NEW REGULATIONS FOR ANIMAL TRANSPORT

#### **QUICK OVERVIEW**

### Galvanised strong trailer for animal transport that can be registered

- · Strong, fully galvanised
- Width 2.52 metres
- · Built-in wheel cases
- Approved by TÜV according to the new regulations for animal transports
- CAN BE REGISTERED
- Equipped with a sledge under the floor – no risk of tipping over with the animals inside.
- Made of extra strong profiles
- Can be delivered with a length from 5 to 8 met
- A GOOD DANISH PRODUCT

#### **PRODUCT DESCRIPTION**

The trailer is specially developed for the German market and tested by the TÜV on the German roads to 40 km / h.

The trailer is fully galvanised and made of extra strong profiles. The sides are covered with 12 mm waterresistant Bodex plates all around, the trailer is equipped with double doors in the rear end. The bottom is made up of tear plates to make the bottom anti-slip. The trailer is equipped with a hydraulic lifting and lowerina function. which facilitates the loading and unloading of the animals. The trailer is equipped with an airhydraulic brake system.

### A safe and sound investment in the future

The strong and sturdy structure of the cattle trailer makes it one of the strongest trailer on the market. A wellmaintained product can easily last 20 years or more with minimal maintenance costs.

### No risk of tipping over with the trailer

When driving on the field, there is a risk of running into holes or the like where the trailer can get stuck in the worst-case scenario, overturn with animals in. This is why this trailer is equipped with a sledge under the bottom. Because of it, the trailer cannot be suspended on the axles. This way, it can be pulled quickly and effectively without injuring the animals inside or damaging the trailer.

#### **Emergency exit**

All models is supplied with one extra gate on the right long side, also called an emergency exit. Such an emergency exit offers safety for you and your employees should problems arise and you need to get out of the trailer quickly.

### Hydraulic height adjustment function

The hydraulic height adjustment function offers many advantages in daily use. During loading or un-loading, the floor of the trailer is lowered and the animals can enter directly. After loading, the trailer is raised again. In addition to the incredibly efficient and stressfree loading and unloading of the animals, this hydraulic height adjustment function is also ideal for allowing the trailer stand on the ground with forage inside so that animals and calves can feel safe near it before being moved.

### **TECHNICAL DATA**

- Width: 2.52 m
- Trailer inner width: 2.40 m
- Trailer inner width from wheel case to wheel case 1.64 m
- The loading height is 11 cm
- The trailer comes with roof, rear lights, brakes, double gates in the center of the trailer, hydraulic and extra gate on one side.



Article No.	31500	31600	31700	31800
Length	5 meter	6 meter	7 meter	8 meter
Wheel size	355/60 R18	355/60 R18	385/55 R19,5	385/55 R19,5
Supplements	Roll up blinds in the front and both sides	Roll up blinds in the front and both sides	Roll up blinds in the front and both sides	Roll up blinds in the front and both sides





With inner wheel cases









### SMALL TRANSPORT TRAILER

ARTICLE NO. 40500 5M SMALL TRANSPORT TRAILER

FIX SMALL CATTLE TRAILER WITH SEMI BUILT-IN WHEELS -THE PERFECT SOLU-TION FOR SMALL ENTERPRISES

#### **QUICK OVERVIEW**

### Galvanised strong narrow cattle trailer with a width of ONLY 2.35 metre and semi built-in wheels

- Strong, fully galvanised cattle trailer
- Made of extra strong
   profiles
- Semi built-in wheels
- Trailer inner width 2
   metres
- PERFECT FOR THE SMALLER ENTERPRISE
- Equipped with a sledge under the floor – no risk of tipping over with the animals inside
- Can be delivered with a length from 4 to 5 metres
- One of Scandinavia's most popular trailer for live stock
- A GOOD DANISH PRODUCT

#### PRODUCT DESCRIPTION

The narrow animal transport trailer is the perfect solution for those with a small crew.

### Strong and sturdy trailer for animal transport

The trailer is fully galvanised and made of extra strong profiles. The sides are covered with 12 mm waterresistant Bodex plates all around, the trailer is equipped with a ramp, as well as double doors in the rear end. The bottom is made up of tear plates to make the bottom anti-slip.

#### A safe and sound investment in the future

The strong and sturdy structure of the cattle trailer makes it one of the strongest trailer on the market. A wellmaintained product can easily last 20 years or more with minimal maintenance costs.

### No risk of tipping over with the trailer

When driving on the field, there is a risk of running into holes or the like where the trailer can get stuck in the worst-case scenario, overturn with animals in. This is why this trailer is equipped with a sledge under the bottom. Because of it, the trailer cannot be suspended on the axles. This way, it can be pulled quickly and effectively without injuring the animals inside or damaging the trailer.

#### **Emergency exit option**

All models can be supplied with one *extra gate on the right long side*, also called an emergency exit. Such an emergency exit offers safety for you and your employees should problems arise and you need to get out of the trailer quickly.







▼ The trailer is equipped with semi built-in wheels



### **TECHNICAL DATA**

- Trailer width: 2.35 m
- Trailer inner width: 2 m

### Create the solution that suits you best

Article No.	40000	40500
Length	4 meter	5 meter
Wheel size	11,5/80x15,3/12	13,0/65x18/16
Supplements	<ul> <li>Roof</li> <li>Rear Lights</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>	<ul> <li>Roof</li> <li>Rear Lights</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>



### ALL-IN-ONE SOLUTION: - FODDER TRAILER - CAPTURE TRAILER - CATTLETRAILER

#### **PRODUCT DESCRIPTION**

The combi trailer is the perfect solution if you need a feeding table, a capture trailer and an animal transport trailer.

#### **QUICK OVERVIEW**

Galvanised strong cattle transport trailer – 3-in-1: Fodder trailer, capture trailer and cattle trailer

- Strong, fully galvanised cattle trailer
- Trailer inner width 2
   metres
- Comes with church char's by default and can be equipped with trap gates
- Equipped with a sledge under the floor – no risk of tipping over with the animals inside
- Can be delivered with a length from 3 to 6 metres
- Made of extra strong profiles
- A GOOD DANISH PRODUCT

### Strong and sturdy trailer for animal transport

The trailer is made of extra strong profiles thanks to which it is extremely stable on the field, and capable of handling the large animals. The bottom is made up of tear plates to make the bottom anti-slip.

### A safe and sound investment in the future

The strong and sturdy structure of the cattle trailer makes it one of the strongest trailer on the market. A wellmaintained product can easily last 20 years or more with minimal maintenance costs.

#### **TECHNICAL DATA**

Trailer inner width: 2 m

By default, the trailer comes with "church char's" mounted on all sides, as well as a large door in the rear end.

### Create the solution that suits you best







Article No.	33000	34000	35000	36000
Length	3 meter	4 meter	5 meter	6 meter
Wheel size	10,0/80x12/10	11,5/80x15,3/12	11,5/80x15,3/12	11,5/80x15,3/14
Supplements	<ul> <li>Trap gate, adjustable, price per animal (4 or 5 animals on each long side)</li> <li>One side with "church chair's" gate</li> <li>Roof</li> </ul>	<ul> <li>Trap gate, adjustable, price per animal (2x3 animals on each long side)</li> <li>Roof</li> <li>Ramp</li> <li>Rear Lights</li> </ul>	<ul> <li>Trap gate, adjustable, price per animal (2x4 animals on each long side)</li> <li>Roof</li> <li>Ramp</li> <li>Rear Lights</li> <li>Brakes</li> </ul>	<ul> <li>Trap gate, adjustable, price per animal (2x4 or 2x5 animals on each long side)</li> <li>Roof</li> <li>Ramp</li> <li>Rear Lights</li> <li>Brakes</li> </ul>



### ALL-IN-ONE SOLUTION: - FODDER TRAILER - CAPTURE TRAILER - CATTLETRAILER

#### **PRODUCT DESCRIPTION**

The combi trailer is the perfect solution if you need a feeding table, a capture trailer and an animal transport trailer as well as a trailer with hydraulics.

#### **QUICK OVERVIEW**

#### Galvanised strong cattle transport trailer – 3-in-1: fodder trailer, capture trailer and cattle trailer

- Strong, fully galvanised cattle trailer
- Trailer inner width 2 m
- Comes with church char's by default and can be equipped with trap gates
- Equipped with a sledge under the floor – no risk of tipping over with the animals inside
- Can be delivered with a length from 4 to 6 metres
- Made of extra strong profiles
- A GOOD DANISH PRODUCT

### Strong and sturdy trailer for animal transport

The trailer is made of extra strong profiles thanks to which it is extremely stable on the field, and capable of handling the large animals. The bottom is made up of tear plates to make the bottom anti-slip.

### A safe and sound investment in the future

The strong and sturdy structure of the cattle trailer makes it one of the strongest trailer on the market. A wellmaintained product can easily last 20 years or more with minimal maintenance costs.



Article No.	54000	55000	56000
Length	4 meter	5 meter	6 meter
Wheel size	11,5/80x15,3/12	13,0/65x18/16	13,0/65x18/16
Supplements	<ul> <li>Trap gate, adjustable, price per animal (5 ani- mals on each long side)</li> <li>Roof</li> <li>Rear Lights</li> </ul>	<ul> <li>Trap gate, adjustable, price per animal (7 ani- mals on each long side)</li> <li>Roof</li> <li>Rear Lights</li> <li>Brakes</li> </ul>	<ul> <li>Trap gate, adjustable, price per animal (9 ani- mals on each long side)</li> <li>Roof</li> <li>Rear Lights</li> <li>Brakes</li> </ul>

### Hydraulic height adjustment function

The hydraulic height adjustment function offers many advantages in daily During loading use. or unloading, the floor of the trailer is lowered and the animals can enter directly. After loading, the trailer is raised again. This provides an incredibly efficient and stressfree loading and unloading of animals.

### No risk of tipping over with the trailer

When driving on the field, there is a risk of running into holes or the like where the trailer can get stuck in the worst-case scenario, overturn with animals in. This is why this trailer is equipped with a sledge under the bottom. Because of it, the trailer cannot be suspended on the axles. This way, it can be pulled quickly and effectively without injuring the animals inside or damaging the trailer.

### **TECHNICAL DATA**

Trailer inner width: 2 m

By default, the trailer comes with "church char's" mounted on all sides, as well as a large door in the rear end and hydraulics.

### Create the solution that suits you best

The trailer can be equipped with a wide range of supplements to cover your needs completely.

ARTICLE NO. 56000 6M COMBI TRAILER WITH HYDRAULICS





### THE SAFE AND SOUND INVESTMENT IN THE FUTURE IF YOU WANT AN ANIMAL TRANSPORT TRAILER WITH HYDRAULICS

#### **QUICK OVERVIEW**

### Galvanised strong and solid trailer for animal transport

- Can be used advantageously for cattle, sheep or pigs
- Trailer inner width 2 m
- Made of extra strong profiles
- A safe and sound investment in the future
- Equipped with a sledge under the floor – no risk of tipping over with the animals inside
- Can be equipped with an emergency exit for your safety
- Order the solution that suits you best
- Equipped with hydraulic height adjustment function
- Can be delivered with a length from 4 to 7 metres
- One of Scandinavia's most popular trailer for live stock

### A GOOD DANISH PRODUCT

### **PRODUCT DESCRIPTION**

If you need to drive short distances between, e.g. the field and the stable, and you want a trailer with hydraulics, this animal transport trailer is the ideal solution for you.

### Strong and sturdy trailer for animal transport

The trailer is fully galvanised and made of extra strong profiles. The sides are covered with 12 mm waterresistant Bodex plates all around, the trailer is equipped with hydraulics as well as double doors at the rear end. The bottom is made of galvanised tear plates to make the bottom anti-slip.

### A safe and sound investment in the future

The strong and sturdy structure of the cattle trailer makes it one of the strongest trailer on the market. A wellmaintained product can easily last 20 years or more with minimal maintenance costs.

### No risk of tipping over with the trailer

When driving on the field, there is a risk of running into holes or the like where the trailer can get stuck in the worst-case scenario, overturn with animals in. This is why this trailer is equipped with a sledge under the bottom. Because of it, the trailer cannot be suspended on the axles. This way, it can be pulled quickly and effectively without injuring the animals inside or damaging the trailer.

### **Emergency exit option**

All models can be supplied with one *extra gate on the right long side*, also called an emergency exit. Such an emergency exit offers safety for you and your employees should problems arise and you need to get out of the trailer quickly.



### Hydraulic height adjustment function

The hydraulic height adjustment function offers many advantages in daily use. During loading or unloading, the floor of the trailer is lowered and the animals can enter directly. After loading, the trailer is raised again. In addition to the incredibly efficient and stressfree loading and unloading of the animals, this hydraulic height adjustment function is also ideal for allowing the trailer stand on the ground with forage inside so that animals and calves can feel safe near it before being moved.

### **TECHNICAL DATA**

- Trailer inner width: 2 m
- Loading height when lowered: 11 cm

### Create the solution that suits you best

Article No.	74000	75000	76000	77000
Length	4 meter	5 meter	6 meter	7 meter
Wheel size	11,5/80x15,3/12	13,0/65x18/16	13,0/65x18/16	13,0/65x18/16
Supplements	<ul> <li>Roof</li> <li>Rear Lights</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>	<ul> <li>Roof</li> <li>Rear Lights</li> <li>Brakes</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>	<ul> <li>Roof</li> <li>Rear Lights</li> <li>Brakes</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>	<ul> <li>Roof</li> <li>Rear Lights</li> <li>Brakes</li> <li>Trap-fence-set of one section for each side</li> <li>Double gates in the center of the trailer</li> <li>Roll up blinds in the front and both sides</li> <li>Extra gate on one side</li> </ul>







▼ There are galvanised panels inside the trailer for fast and easy cleaning



### HYDRAULIC

G.PL ITER



### THE PERFECT SOLU-TION FOR PIG CABINS

### **PRODUCT DESCRIPTION**

The hydraulic trailer is manufactured with a view to creating a strong and solid product with a long service life.

### Strong and sturdy trailer for animal transport

12 mm water-resistant Bodex wood panels are mounted on the trailer all around the bottom, as well as at the doors in the rear end. The entire trailer can be lowered so the loading height will only be 10 cm.

### A safe and sound investment in the future

The pig transport trailer is fully galvanised, which guarantees you a product with long service life and minimum maintenance costs.

### **TECHNICAL DATA**

- Trailer inner width: 2 m
- Height: 2 m
- Loading height: 10 cm

### Create the solution that covers your needs

The trailer can be equipped with a wide range of supplements to cover your needs completely.

### **QUICK OVERVIEW**

### Galvanised strong pig transport trailer with hydraulics

- Strong, fully galvanised trailer for transport of pigs
- Trailer inner width 2
   metres
- Loading height of ONLY
   10 cm-THE ENTIRE
   TRAILER IS LOWERED
- Made of extra strong profiles
- Order the solution that suits you best
- Can be delivered with a length from 4 to 7 metres
- Widely used for pig cabins
- A GOOD DANISH PRODUCT


### INSPIRATION

BE INSPIRED BY OUR LARGE PRODUCT RANGE AND FIND THE PRODUCTS THAT BEST FIT YOUR NEEDS

### SPECIAL EQUIPMENT FOR TRAILERS

In addition to our standard equipment, we also offer a wide range of special equipment. Everything to give you the solution that covers your daily needs.

Here you will find just a small selection of the many available options.



Rubber coating

LED light



Light inside the trailer



Hanging hooks for trap-fench

### When small ideas turn into reality





Telescopic trap-fench





Wheel suspension

1

IYFA



Field model



Calf box

#### **PRODUCT RANGE**

In addition to our trailers, we can also supply, among other things, barn inventory, feeding tables and much more.

Here you will find just a small selection of the many available options we offer.



Littel bear



Feeding table for horses




Special grid for cattle with horns



Strawbox for round bales





Safety cap for bull rings PATENT PROTECTED




Wide range of stable inventory

JYFA

Γ

JYFA

IIIII



	NOTES	DANISH
		SII
		H
		DE
		SI
		DESIGN
		-
		DΑ
-		DANISH
2.5		HS
		м
		A
-		Z
		ANUFA
		0
0		TURE
545		RE
the Pr		
and		
		A
		ANIS
in the second		365
		9
2188-20		
5.0		
		24 -
HIN .		

AL I

#### QUALITY -DURABILITY FUNCTIONALITY \_

DANISH QUALITY ACROSS BOTT

JYFA

JYFA

JYFA

# **JYFA Maskinværksted**

JYFA

JYFA

JYFA

JYFA

JYFA

JYFA

JYFA

Sjællandsvej 8A – DK-7330 Brande Tel. +45 9718 3565 - mail@jyfa.com - www.jyfa.com

Z U

P

DANIS

JYFA